

# JASIC Aparat TIG315P AC/DC PULS DIGI



Uz aparat se isporučuju klešta za masu, lanac za boce, konektor 35-50, brza spojka za gas i 1 konektor za TIG gorionik. Aparat se isporučuje bez gorionika. Gorionik se dodatno dokupljuje, MINO VP HF 18;

**Šifra proizvoda:** 561-1360

**Proizvođač:** Jasic

~~300 000 RSD~~

**291 000 RSD**

**Ušteda:** 9 000 RSD

**Neto cena:** 242 500 RSD

## Opis proizvoda

**TIG315P ACDC**  
**za zavarivanje aluminijuma magnezijuma čelika**  
**radi u TIG i Rel režimu**

JASIC TIG 315P AC/DC Multi Wave (Water-Cooled)

Highly advanced ac/dc inverter with

superior multi wave versatility



Premium TIG 315 Pulse AC/DC welding inverter is a technologically advanced three-phase multi wave power source suitable for medium to high production cycles.

The innovative and user-friendly digital panel allows full control of the welding parameters.

The excellent technical characteristics of the TIG 315 AC/DC make it an ideal choice for professionally skilled TIG welders that require precise control and reliable performance.

Aparat za zavarivanje AC / DC invertera Jasic TIG 315P (E106) je pretvarač MOSFET 315A / 400V MOSFET, digitalno kontrolisana AC / DC TIG aparat sa HF arc paljenjem i podešavanjem impulsa. Sa najnovijom MOSFET tehnologijom, profesionalno i možete jednostavno podešiti digitalne funkcije i parametre korak po korak. Bez dodirivanja volframove elektrode, HF lučno paljenje. Predefinisano vreme protoka gasa, startna struja, vreme struje i vreme rada, krajnja struja i vreme curenja gasa u kombinaciji sa funkcijom 2T ili 4T omogućavaju najviši nivo profesionalizma za početak i završetak procesa zavarivanja. Digitalno kontrolisana impulsna brzina omogućava potpunu parametrizaciju maksimalne struje, bazne struje, frekvencije impulsa i širine impulsa, omogućavajući manipulaciju izlazne topline radova, dubinu zavarivanja (zavarivanje) i minimizaciju izobličenja. HOT START - Tokom paljenja, struja je veća od podešene talasne struje.

- čelik
- Nerđajući čelik
- hromov molibden
- aluminijum
- titanijum
- Bakar
- praktično pogodna za zavarivanje bilo kog metala

## Deklaracija

- **Naziv proizvođača:** Jasic
- **Neto težina:** 37 kg
- **Bruto težina:** 37 kg
- **Marka proizvoda:** Jasic

## Specifikacija

- **Ulagani napon (V/Hz):** AC400V ± 15% 50/60 Hz
- **Ulagana struja (A):** 3 x 16 A
- **Regulacija (A):** 10-315 A
- **Pulsna frekvencija:** 0,5-300
- **Intermitencija (%):** 30%-315, 60%-224, 100%-172A
- **Težina (kg):** 32 kg
- **Dimenzije:** 760×360×585 mm





